




quality ■ value ■ reliability

olivetti cubicles



Quality, value and reliability....this is what you can expect from Oliveti Cubicles washroom systems. As one of the UK's leading manufacturers you will find Oliveti Cubicles' product choice is comprehensive, with quality systems to suit any environment or budget and a full range of accessories to create total washroom solutions. Oliveti Cubicles also promise industry-leading service, with specification advice and in-depth customer support to ensure you receive the best value and product solutions that are truly fit for purpose.

Oliveti Cubicles specialise in the design, manufacture and installation of innovative washroom solutions, bench seating, lockers and bespoke products for use in leisure washrooms, schools, conference centres, colleges and universities, commercial rest-rooms, public toilets and changing room areas.

Our offices are located in Leicestershire and Surrey and we currently service all of England & Wales. Our wide range of expertise and experience means we can offer an exceptional package to clients who expect the best.





Index

Page 4. An Overview of the Cubicle ranges

Page 5. Basic Cubicle Configurations

Page 6. Cubicle Components

Page 7. Performance Standards

Page 8. 'Little Gems' Luca Range of Childrens Cubicles

Page10. 'Little Gems' Orin Range of Childrens Cubicles

Page13. Sapphire Range

Page17. Aquamarine Ranges

Page19. Diamond Range

Page 21. IPS Duct Panel Systems

Page 30. Gem Lockers

Page 34. Gem Bench Seating

Page 39. Gem School Storage units

Page 45. The Oliveti Colour Range

1. Cubicles

Oliveti Cubicles - The Cubicle Ranges...

All Oliveti Cubicles products are originated and designed in-house. We aim to provide innovative, appealing and practical solutions for specifiers and end users in all sectors and our commitment to design, development and service ensures that our washroom systems continue to be at the forefront of the industry.


All of the Oliveti cubicle ranges are available with accompanying Vanity Units, IPS Duct Panel systems, Bench Seating and Lockers



1. Oliveti 'Little Gems' Childrens' Ranges

Orin - Framed junior system

Luca - Frameless infant system



2. Oliveti Adult Commercial Ranges

Sapphire




Amethyst




Aquamarine



Diamond



Topaz Bespoke Cubicles



Jade - Glass Cubicles



It is the customers responsibility to ensure that colour contrast chosen complies with the new Building regulations part M.

Oliveti Cubicles, 2a Peatling Road, Countesthorpe, Leicester LE8 5RD
Tel: 0116 277 7771 ~ Fax: 0116 277 7776 ~ Web: www.oliveticubicles.co.uk ~ Email: info@oliveticubicles.co.uk
A division of Oliveti Construction. Company Reg. Number 7341 581. VAT reg. 6697200-07




1. Cubicles

1. Typical Cubicle Configurations






The diagrams below will help to describe your requirement. For example you may require 2 cubicles enclosed between 2 walls (ENCLOSED MULTIPLE OF 2) as opposed to 2 cubicles in a corner (CORNER MULTIPLE OF 2). Oliveti Cubicles will then be able to provide accurate price estimates - for example enclosed cubicles do not require as many panels and are therefore less expensive.




1. Multiples



2. Singles



3. In-line




1. Cubicles

2. Cubicle Components



The diagram below is intended to help clients discuss or specify their precise requirements. This may be especially useful when ordering additional ironmongery or replacement panels



1. Cubicles

3. Performance standards




All of Oliveti Cubicles standard and bespoke cubicles ranges are available in **3 performance options** :-

1. CGL - 13mm COMPACT GRADE LAMINATE
2. HPL - 19mm HIGH PRESSURE LAMINATE
3. MFC - 18mm MELAMINE FACED CHIPBOARD

1. CGL :13mm COMPACT GRADE LAMINATE

Compact grade laminate offers ultimate performance in the most demanding environments. The panels are extremely resistant to impact and have surfaces and cores that are totally impervious to water. Each panel is 13mm thick and has polished black radiused edges as lipping is not required




Black core composed of kraft papers impregnated with phenolic resin.

Decorative paper impregnated with melamine resin.

Protective surface impregnated with melamine resin (overlay) for printed decors.

2. HPL :19mm HIGH PRESSURE LAMINATE

Ideal for more heavily used & reasonably dry washroom areas, these durable panels provide heat, scratch, impact and cigarette burn resistance. Made from 17mm V313 moisture resistant 680kg/m³ grade chipboard, the panels are faced both sides with high pressure laminate creating an overall thickness of 19mm. Edges can either be POSTFORMED or LIPPED with 2mm high impact PVC and in some cases a combination of both - i.e. lipped partition & door panels with postformed vertical edges to pilasters.



Protective surface impregnated with melamine resin (overlay) for printed decors.

Decorative paper, printed or deep dyed plain colour, impregnated with melamine resin.

Layers of kraft paper impregnated with phenolic resin.

3. MFC :18mm MELAMINE FACED CHIPBOARD

The most economical option for dry environments, such as nursery or office washrooms where vandalism is not a likely problem. The panels are manufactured from 18mm moisture resistant high performance melamine faced 730kg/m³ grade chipboard. All visible panel edges are lipped with matching or contrasting 2mm PVC. We can provide HPL postformed pilasters with MFC panels which provides an enhanced appearance at a reduced cost when compared to 100% HPL components



Decorative paper impregnated with melamine resin.


Chipboard core.

Decorative paper impregnated with melamine resin.

1. Cubicles

5. Oliveti Little Gems - Luca Cubicles

Luca range is a frameless cubicle system designed specifically with pre-school & Key stage 1 children in mind. The colourful panels are available in two performance finishes - CGL & MFC. The cubicles can be manufactured in any combination of colours from the Oliveti Colour Collection and come complete with matching or satin anodised aluminium (SAA) ironmongery. Whilst we offer two standard sizes, we are able to manufacture to your individual requirements in terms of both size and configuration



Features...



- The leg has been designed to eliminate the need for a headrail.
- Child Friendly magnetic catch.
- Eye catching bold primary colours.
- Stable, solid and strong



1. Cubicles

5. Oliveti Little Gems - Luca Cubicles Specifications


RANGE	CORE MATERIAL	REFERENCE
LITTLE GEMS LUCA CGL	13mm COMPACT GRADE LAMINATE (CGL)	LUCA-CGL-SIZE A
	13mm COMPACT GRADE LAMINATE (CGL)	LUCA-CGL-SIZE B
LITTLE GEMS LUCA MFC	18mm MELAMINE FACED CHIPBOARD (MFC)	LUCA-MFC-SIZE A
	18mm MELAMINE FACED CHIPBOARD (MFC)	LUCA-MFC-SIZE B



Little Gems Luca - Ironmongery

ITEMS INCLUDED	FINISHES
CHANNEL BRACKETS	LUCA RED, YELLOW & BLUE
ANTI-FINGER TRAP HINGES	
CHILDSPLAY SUPPORT LEGS	OR ANY SPECIFIED SINGLE RAL COLOUR
INDICATOR BOLTS & KEEPS	
MAGNETIC CATCHES	
COAT HOOKS	SATIN ANODISED ALUMINIUM
STANDARD TOILET ROLL HOLDER	

Little Gems - Artistic Doors



Both Luca & Orin ranges can be supplied with screen printed doors & pilasters. We have several standard designs available. If you have your own design, logo or emblem that you would like on your doors then please give us a call & we will be pleased to assist you

1. Cubicles

6. Oliveti Little Gems - Orin Cubicles






The ORIN Framed cubicle system is a proven standard for children's washroom cubicles, providing schools and nurseries with a fun and hygienic washroom solution. The arched tops to the doors and shaped partitions create a washroom environment that is imaginative whilst providing the necessary requirement for supervisory care. With FOUR door height options and three performance levels, the Orin flexible system can be specified for any installation. Safety hinges to avoid the risk of trapped fingers, and indicator bolts with built in emergency release mechanism offer peace of mind.



Features...

- Bright powder coated coloured fittings & fixings.
- Optional special clown faceplate.
- Creative and distinctive design.
- Fully non corrosive.
- Easy to operate emergency release mechanism.




1. Cubicles

6. Oliveti Little Gems - Orin Cubicles Specifications

RANGE	CORE MATERIAL	REFERENCE
LITTLE GEMS ORIN CGL	13mm COMPACT GRADE LAMINATE (CGL)	ORIN-CGL-SIZE A
	13mm COMPACT GRADE LAMINATE (CGL)	ORIN-CGL-SIZE B
	13mm COMPACT GRADE LAMINATE (CGL)	ORIN-CGL-SIZE C
	13mm COMPACT GRADE LAMINATE (CGL)	ORIN-CGL-SIZE D
LITTLE GEMS ORIN HPL	20mm HIGH PRESSURE LAMINATE	ORIN-HPL-SIZE A
	20mm HIGH PRESSURE LAMINATE	ORIN-HPL-SIZE B
	20mm HIGH PRESSURE LAMINATE	ORIN-HPL-SIZE C
	20mm HIGH PRESSURE LAMINATE	ORIN-HPL-SIZE D
LITTLE GEMS ORIN MFC	18mm MELAMINE FACED CHIPBOARD (MFC)	ORIN-MFC-SIZE A
	18mm MELAMINE FACED CHIPBOARD (MFC)	ORIN-MFC-SIZE B
	18mm MELAMINE FACED CHIPBOARD (MFC)	ORIN-MFC-SIZE C
	18mm MELAMINE FACED CHIPBOARD (MFC)	ORIN-MFC-SIZE D

Little Gems - Orin - Standard Sizes



Little Gems Orin - Ironmongery

ITEMS INCLUDED	FINISHES
CHANNEL BRACKETS	ORIN RED, YELLOW & BLUE OR ANY SINGLE RAL COLOUR OR SATIN ANODISED ALUMINIUM
ANTI-FINGER TRAP HINGES	
CHILDSPLAY SUPPORT LEGS	
INDICATOR BOLTS & KEEPS	
MAGNETIC CATCHES	
COAT HOOKS	
STANDARD TOILET ROLL HOLDER	

1. Cubicles

7. Oliveti Commercial - Sapphire

Sapphire is Oliveti Cubicles most economic & popular range. It is an extremely versatile system, suitable for all environments including schools, offices, leisure facilities etc. Combining a wide selection of performance finishes (MFC, CGL & HPL) with both standard and security fixing options. Sapphire combines aesthetics with quality, durability and reliability. The hardware can be used with either 12-13mm or 19-21mm panels and is suitable for almost all environmental conditions.

The product is available with comprehensive technical information and fitting instructions to ensure fast and simple on-site installation, keeping costs to a minimum.



PARTITION
SUPPORTS



HEADRAILS




INDICATOR BOLT



HINGES



BRACKETS



THE VISION PLUS INDICATOR BOLT

Features...

- Available in both PPOSTFORMED or LIPPED ALL ROUND versions
- Outward opening door options are available
- Fully DDA Doc M compliant Ambulant Disabled & Enlarged cubicles are available with the required grab rails and handles
- Vandal resistant indicator bolt complete with hidden fixings and smooth rattle free movement
- A complete range with well designed matching partition supports, brackets, hinges and indicator bolts
- Suitable for the majority of standard panel sizes and specifications.
- Manufactured from non-corrosive materials to increase the lifespan of the cubicle. Marine grade Stainless steel fittings are available on request
- Optional Sapphire security fixings available for cubicles in aggressive environments.
- Supplied with fixing instructions and technical information for easy installation.
- Sapphire hardware is available in a wide selection of finishes, colour matched if required.

1. Cubicles

8. Sapphire Specifications

RANGE	CORE MATERIAL	PANEL HEIGHT	OVERALL HEIGHT ON 150mm LEG	REFERENCE
SAPPHIRE CGL	13mm COMPACT GRADE LAMINATE (CGL)	1800	1950	SAPPHCGL-1800
		1900	2050	SAPPHCGL-1900
		2000	2150	SAPPHCGL-2000
		2250	2400	SAPPHCGL-2250
All COMPACT GRADE LAMINATE exposed edges are radiused & polished				

SAPPHIRE HPL - LIPPED	20mm HIGH PRESSURE LAMINATE - LIPPED	1800	1950	SAPPHHPL- 1800L
		1900	2050	SAPPHHPL-1900L
		2000	2150	SAPPHHPL-2000L
		2250	2400	SAPPHHPL-2250L
SAPPHIRE HPL - POSTFORMED	20mm HIGH PRESSURE LAMINATE - POSTFORMED	1800	1950	SAPPHHP- 800PF
		1900	2050	SAPPHHPL-1900PF
		2000	2150	SAPPHHPL-2000PF
		2250	2400	SAPPHHPL-2250PF

SAPPHIRE MFC	18mm MELAMINE FACED CHIPBOARD (MFC)	1800	1950	SAPPHMFC-1800
ALL EDGES LIPPED		1900	2050	SAPPHMFC-1900
		2000	2150	SAPPHMFC-2000
		2250	2400	SAPPHMFC-2250

IMPORTANT NOTE :

SUPPORT LEGS ARE AVAILABLE IN 40mm, ADJUSTABLE LEGS 80 TO 100 & 100 TO 150 - PLEASE STATE REQUIREMENT

PLEASE STATE REQUIRED DEPTH OF PARTITION PANEL REQUIRED WITH THE ABOVE REFERENCE

Sapphire - Ironmongery

ITEMS INCLUDED	FINISHES
CHANNEL BRACKETS ANTI-FINGER TRAP HINGES PARTITION SUPPORT LEGS INDICATOR BOLTS & KEEPS COAT HOOKS STANDARD TOILET ROLL HOLDER	ANY SINGLE RAL COLOUR OR SATIN ANODISED ALUMINIUM

Sapphire suitability

AREAS
shower cubicles (CGL only) WC Cubicles changing cubicles partitions for treatment rooms Study booths partitions for therapy rooms

1. Cubicles

9. Oliveti Commercial - Amethyst & Amethyst Plus



The Oliveti Amethyst ranges of washroom cubicles are stylish, sophisticated yet durable. They are suitable for most commercial environments. Amethyst adds a prestigious feel to offices, night clubs, restaurants, bars etc.


Amethyst consists of a partition panel and door, combined with an elliptical aluminium fascia. The shape of the fascia gives an extra dimension to the cubicles and combined with a multitude of finishes, allows you to create your own individual design.

The system comes adjustable height leg for either the partition panel or for the base of the fascia (pilaster) to accommodate uneven floors. The doors are hung on pre-fitted Stainless Steel hinges and the fascia is connected to the bespoke handrail to guarantee a solid construction. Profiled brackets and a special indicator bolt complete this individual design.

The system can be specified to suit 12-13mm compact panels or 17-21mm panels. If required the system can be customised to mix and match panel sizes and thicknesses to suit specific project needs.



Illustrations left & above show our standard Amethyst cubicles finished in chrome and below in a powder coated finish



1. Cubicles

10. Amethyst Specifications

Because Amethyst utilises an extruded aluminium elliptical Pilaster, all Amethyst range cubicle panels are lipped square edges or radiused & polished in 13mm CGL. IPS panels Access Duct Panels to the rear of the cubicle can have postformed vertical edges.


RANGE	CORE MATERIAL	PANEL HEIGHT	OVERALL HEIGHT ON 150mm LEG	REFERENCE
AMETHYST CGL	13mm COMPACT GRADE LAMINATE (CGL)	1800	1950	AMETHCGL-1800
		1900	2050	AMETHCGL-1900
		2000	2150	AMETHCGL-2000
		2250	2400	AMETHCGL-2250
All COMPACT GRADE LAMINATE exposed edges are radiused & polished				

AMETHYST HPL	20mm HIGH PRESSURE LAMINATE - LIPPED	1800	1950	AMETHHPL- 1800L
		1900	2050	AMETHHPL-1900L
		2000	2150	AMETHHPL-2000L
		2250	2400	AMETHHPL-2250L

AMETHYST MFC	18mm MELAMINE FACED CHIPBOARD (MFC)	1800	1950	AMETHMFC-1800
		1900	2050	AMETHMFC-1900
		2000	2150	AMETHMFC-2000
		2250	2400	AMETHMFC-2250



Amethyst 'Plus' cubicles finished in chrome with the Indicator Bolt manufactured as an integral part of the Pilaster. The circular Support Leg shown is optional. Standard legs are available to match the finish selected



1. Cubicles

11. Oliveti Commercial - Aquamarine Range

Oliveti Aquamarine range, is specifically designed for the aggressive leisure market. High volumes of users and constant abuse can shorten the lifespan of the most robust cubicles, however this system is able to withstand even the most demanding situations. Already installed extensively in swimming pools and leisure centres throughout the UK, this system has an enviable track record for durability and performance.

The system can be combined with our Locker and seating systems to provide a complete changing room solution.

The Leisureline system is designed to minimise site work and most of the fabrication and assembly can be carried out in your works. Minimal on-site drilling and assembly saves cost and time.

A comprehensive technical manual, installation guide and free support from our team allows simple tendering, ordering and installation. If required on-site training can be arranged with your team, please call us for further information



The system comprises a suite of aluminium extrusions which completely encase the compact laminate panels. The 50mm diameter extruded aluminium posts fully encase the 13mm compact panels creating the strongest possible structure. The posts are connected to a heavy duty headrail system which runs along the front and edges of each cubicle run. Fixed to the wall at each end, the headrail adds maximum strength to an already strong system. All component are subject to a four stage coating process which ensures maximum corrosion resistance and paint adhesion. Colours can be matched to your specific requirements.

The doors are hung in a full length extruded hinge section which pivots on a stainless steel and nickel bronze bearing, tested to over 300,000 cycles, this hinge will not fail throughout the life of the cubicle.


Simple maintenance such as regular cleaning and periodic lubrication of the hinge and indicator bolt are all that is required to ensure a trouble free installation.

If you need support, guidance or advice relating to any cubicle, seating or locker project, please call us now. Our team are here for you. Each of them has over ten years experience dealing with every conceivable

1. Cubicles


12. Aquamarine Specifications

RANGE	CORE MATERIAL	PANEL HEIGHT	OVERALL HEIGHT ON 150mm LEG	REFERENCE
AQUAMARINE CGL	13mm COMPACT GRADE LAMINATE (CGL)	1800	1950	AQUACGL-1800
		1900	2050	AQUACGL-1900
		2000	2150	AQUACGL-2000
		2250	2400	AQUACGL-2250
All COMPACT GRADE LAMINATE exposed edges are radiused & polished				



Aquamarine headrail detail

Aquamarine support leg detail



1. Cubicles

13. Oliveti Commercial - Diamond Range



Some installations require a modern, minimalist style where functionality is the main requirement. The **Diamond system** by Oliveti Cubicles provides a strong aluminium framed cubicle system with minimal impact on the eye. The system can be colour matched to the panels, or coated in a contrasting finish to make a bold statement.

Slim extrusions completely frame the partition and support the hinges and strike plates, ensuring the panels remain unstressed and last longer.

The bolt through design allows quick and simple installation without the need for any special tools or experience. All fixings are included in the packs and full installation guides are available.

The system compliments the Oliveti Gem Locker and seating ranges and can provide a complete solution to your washroom or changing room environment.

All components are subject to a four stage coating process ensuring maximum corrosion resistance and paint adhesion throughout its lifespan.

Our technical team are able to offer advice and support throughout the whole process from initial selection to installation.

Finishes include polished, stainless steel effect, chrome, powder coated and textured paints.



1. Cubicles

14. Diamond Specifications



Because Diamond utilises an extruded aluminium Pilaster, all Diamond range cubicle panels are lipped square edges or radiused & polished in 13mm CGL. IPS panels Access Duct Panels to the rear of the cubicle can have postformed vertical edges.

RANGE	CORE MATERIAL	PANEL HEIGHT	OVERALL HEIGHT ON 150mm LEG	REFERENCE
DIAMOND CGL	13mm COMPACT GRADE LAMINATE (CGL)	1800	1950	DIAMCGL-1800
		1900	2050	DIAMCGL-1900
		2000	2150	DIAMCGL-2000
		2250	2400	DIAMCGL-2250
All COMPACT GRADE LAMINATE exposed edges are radiused & polished				

DIAMOND HPL - LIPPED	20mm HIGH PRESSURE LAMINATE - LIPPED	1800	1950	DIAMHPL-1800L
		1900	2050	DIAMHPL-1900L
		2000	2150	DIAMHPL-2000L
		2250	2400	DIAMHPL-2250L

DIAMOND MFC	18mm MELAMINE FACED CHIPBOARD (MFC)	1800	1950	DIAMMFC-1800
ALL EDGES LIPPED		1900	2050	DIAMMFC-1900
		2000	2150	DIAMMFC-2000
		2250	2400	DIAMMFC-2250

IMPORTANT NOTE :

SUPPORT LEGS ARE AVAILABLE IN 40mm, ADJUSTABLE LEGS 80 TO 100 & 100 TO 150 - PLEASE STATE REQUIREMENT

PLEASE STATE REQUIRED DEPTH OF PARTITION PANEL REQUIRED WITH THE ABOVE REFERENCE


Diamond Range - Ironmongery

ITEMS INCLUDED	FINISHES
CHANNEL BRACKETS ANTI-FINGER TRAP HINGES PARTITION SUPPORT LEGS INDICATOR BOLTS & KEEPS COAT HOOKS STANDARD TOILET ROLL HOLDER	ANY SINGLE RAL COLOUR OR SATIN ANODISED ALUMINIUM OR CHROME

Diamond Range suitability

AREAS
shower cubicles (CGL only) WC Cubicles changing cubicles partitions for treatment rooms Study booths partitions for therapy rooms

2. IPS Duct Systems - Complete Plumbing Network



The oliveti IPS Duct Panel Systems - “The Complete Plumbing Network”

Versatile and practical and tailor-made, our IPS ducting creates the perfect finish to any washroom.

Duct panelling does more than just conceal pipework and services. It completes the washroom look and feel.

Our flexible duct panelling, includes **NON PRE-PLUMBED & PRE-PLUMBED** options. Both options are available in MFC, HPL or CGL - or you can opt for the luxury of REAL WOOD VENEERS

The PRE-PLUMBED options (illustrated above) can utilise sanitaryware & brassware of our clients choice, or select from the Oliveti Sanitaryware & Accessories Collection, a copy of which can be obtained by contacting our Sales Team.

With our ducting the look is further enhanced by the contrasting or matching flashgaps between panels. Unlike 'one size fits all' panelling, our ducting is tailor made to site dimensions.


Choose close butted panels - supplied without horizontal flashgaps. Not only great to look at, close butted panels also make unauthorised access to service voids more difficult.

Shower panels are manufactured from water resistant SGL. To prevent water ingress, horizontal edges are rebated to form an overlap which needs to be sealed on site by a specialist contractor.

IPS Panels can be full height, floor to ceiling or low level and there's a choice of concealed panel fixings to allow for easy access.

2. IPS Duct Systems - Complete Plumbing Network

2. IPS Components & Basic Options



PLEASE NOTE. PANEL HEIGHTS WILL VARY ACCORDING TO INTENDED END USE - I.E. WC PAN, URINAL WASH HAND BASIN ETC.

Access Panel Options

- 20mm HPL faced particle board with either postformed verticle edges or all edges lipped with 2mm ABS high impact edging. White balancer to rear of panel.
- Compact Grade laminate for wet or heavy use areas
- 18mm moisture resistant melamine faced board (MFC) for dry areas only with lipped edges
- Lift on - Lift off' concealed Keku-Clip fixings or push fit or hinged top panels for access
- Budget locks

Flash Gaps / Shadow gap Framing

To either contrast or match the access panels

- 20mm HPL faced particle board
- Compact Grade laminate for wet or heavy use areas
- 18mm V313 core moisture resistant melamine faced board (MFC) for dry areas only

Frame Assembly


- 2x2 PSE WROT timber sections
- Galvanised steel 'Unistrut' sections




2. IPS Duct Systems - Complete Plumbing Network

3. Typical IPS Set outs (examples shown are for WC Cubicles)

TYPICAL FULL HEIGHT WC IPS SET OUT



TYPICAL HALF HEIGHT WC IPS SET OUT



Typical dimensions by application

W. C.: bottom panels typically 450mm & 700mm
Wash hand basin : bottom - 350mm mid - 700mm;
Urinal : bottom panels typically 250mm & mid 850mm;
All Top panels remain variable dependent on ceiling height requirement.



2. IPS Duct Systems - Complete Plumbing Network

4. IPS Specifications

4A. **FULL HEIGHT** IPS DUCTING - Please specify one item from each section - Access Panels, Flash Gaps and Frame

ACCESS PANELS		CORE MATERIAL	HEIGHT	No OF PANELS	REFERENCE
CGL		13mm COMPACT GRADE LAMINATE (CGL)	UPTO 2400	3	IPSAP-CGL-FH
HPL - LIPPED		20mm HIGH PRESSURE LAMINATE (HPL)	UPTO 2400	3	IPSAP-HPLL-FH
HPL - POSTFORMED		20mm HIGH PRESSURE LAMINATE (HPL)	UPTO 2400	3	IPSAP-HPLPF-FH
MFC		18mm MELAMINE FACED CHIPBOARD	UPTO 2400	3	IPSAP-MFCL-FH
All COMPACT GRADE LAMINATE exposed edges are radiused & polished					
FLASH GAPS / SHADOW GAPS		CORE MATERIAL	HEIGHT		REFERENCE
CGL		13mm COMPACT GRADE LAMINATE (CGL)	UPTO 2400		IPSFL-CGL-FH
HPL		20mm HIGH PRESSURE LAMINATE (HPL)	UPTO 2400		IPSFL-HPL-FH
MFC		18mm MELAMINE FACED CHIPBOARD	UPTO 2400		IPSFL-MFCL-FH
FRAME		CORE MATERIAL	HEIGHT		REFERENCE
TIMBER		50mm x 50mm WROT PSE TIMBER	UPTO 2400		IPSFRM-TIM-FH
UNISTRUT		GALVANISED STEEL 40mm BOX SECTION	UPTO 2400		IPSFRM-MET-FH

4A. **HALF HEIGHT** IPS DUCTING - Please specify one item from each section - Access Panels, Flash Gaps and Frame

ACCESS PANELS		CORE MATERIAL	HEIGHT	No OF PANELS	REFERENCE
CGL		13mm COMPACT GRADE LAMINATE (CGL)	UPTO 1400	2	IPSAP-CGL-HLF
HPL - LIPPED		20mm HIGH PRESSURE LAMINATE (HPL)	UPTO 1400	2	IPSAP-HPLL-HLF
HPL - POSTFORMED		20mm HIGH PRESSURE LAMINATE (HPL)	UPTO 1400	2	IPSAP-HPLPF-HLF
MFC		18mm MELAMINE FACED CHIPBOARD	UPTO 1400	2	IPSAP-MFCL-HLF
All COMPACT GRADE LAMINATE exposed edges are radiused & polished					
FLASH GAPS / SHADOW GAPS		CORE MATERIAL	HEIGHT		REFERENCE
CGL		13mm COMPACT GRADE LAMINATE (CGL)	UPTO 1400		IPSFL-CGL-HLF
HPL		20mm HIGH PRESSURE LAMINATE (HPL)	UPTO 1400		IPSFL-HPL-HLF
MFC		18mm MELAMINE FACED CHIPBOARD	UPTO 1400		IPSFL-MFCL-HLF
FRAME		CORE MATERIAL	HEIGHT		REFERENCE
TIMBER		50mm x 50mm WROT PSE TIMBER	UPTO 1400		IPSFRM-TIM-HLF
UNISTRUT		GALVANISED STEEL 40mm BOX SECTION	UPTO 1400		IPSFRM-MET-HLF

IMPORTANT : SITE SPECIFIC DIMENSIONS WILL BE REQUIRED BEFORE MANUFACTURE CAN COMMENCE. Heights, Span of cubicle/ urinal range, cubicle, widths etc

3. Vanity Units



Oliveti Cubicles range of **vanity units & vanity shelves** introduce inspiration into any washroom environment, our comprehensive range of stylish yet functional vanities and accessories will provide the solution to your vanity needs.

With style and modern design, our range includes designs in:

Stone - Granite, Slate, Bassalt and Quartz are among the many stunning natural stone vanity tops in our range, ideal for the most prestigious environments.

Glass - You may require a sleek glass vanity from our 'Jade' range to create a stunning visual impact.


Solid Surface can be formed to create virtually any shape, making it really versatile and ensuring that upstands and downstands are created seamlessly.

High Pressure Laminate profiles, both postformed and mitred, are available for situations that require an economical solution that does not compromise quality.

Our selection guarantees that we can offer a truly creative solution from the most functional to the most prestigious commercial washroom environment.

Our range of accessories including mirrors, lights, soap dispensers, towel dispensers, storage cabinets and bins from a wide range of manufacturers, enables you to maximise the space in the washroom area and provides an alternative to more traditional solutions.

Our vanities have the added flexibility of the Oliveti CPN (*Complete Plumbing Network*) **pre-plumbed option**. This together with Oliveti's extensive cubicle range and service promise will enable you to specify an imaginative vanity solution for any washroom environment with confidence.



3. Vanity Units



1. Basic HPL Configurations & standards

Vanity units - There are various configurations and bed heights available to suit countertop and semi recessed wash hand basins.

LENGTH - Vanity units available in various lengths to suit any number of wash hand basins. Generally we allow a minimum distance of at least 150mm between wash hand basins, however 200 to 250mm is preferred.

HEIGHT - Standard adult height is 800mm FFL to counter top. 700mm for Junior and 600mm for infants

WIDTH - Standard width is 600mm for Adult K4 Profile 'Inset or Counter Top Vanity Units' and 350mm for K2 'Semi-Recessed' Vanity Units. Again, clients may specify alternative dimensions to suit their specific needs



K4 Vanity Unit

K4 VANITY UNIT PROFILE

ACCOMMODATES FULL INSET BASINS

COUNTER TOP WIDTH = 600mm

**ADULT HEIGHT : 800mm FROM FFL
JUNIOR HEIGHT : 700mm FROM FFL
INFANT HEIGHT : 600mm FROM FFL**

**DOWNSTAND DEPTH : 100mm
OPTIONAL UPSTAND : 75mm**

**CHOICE OF POSTFORMED OR LIPPED
FRONT ACCESS PANELS**

**FULLY FRAMED CARCASS IN MFC OR HPL
FACED & BALANCED MR CHIPBOARD**

OPTIONAL RECESSED SKIRTING (AS

K2 VANITY UNIT PROFILE

ACCOMMODATES SEMI RECESSED BASINS

COUNTER TOP WIDTH = 350mm

**ADULT HEIGHT : 800mm FROM FFL
JUNIOR HEIGHT : 700mm FROM FFL
INFANT HEIGHT : 600mm FROM FFL**

**DOWNSTAND DEPTH : 300mm
OPTIONAL UPSTAND : 75mm**

**CHOICE OF POSTFORMED OR LIPPED FRONT
ACCESS PANELS**

**FULLY FRAMED CARCASS IN MFC OR HPL
FACED & BALANCED MR CHIPBOARD**

OPTIONAL RECESSED SKIRTING (NOT ILLUSTRATED)



K2 Vanity Unit

3. Vanity Units

2. HPL Vanity Specifications.



Top: Moisture resistant MDF, faced with high pressure laminate and balancer to rear, Top comprises 350mm OR 600mm overall width bed with either post-formed 300mm or 100mm front downstand or right angled mitre joint and 75mm high rear upstand, overall height (adult) 800mm from FFL to top of bed. Top reinforced with 17mm thick moisture resistant chipboard divisions and ends with 38 x 75 mm WROT softwood back rail all framed together including 18 x 18 x 75 mm softwood corner blocks, glued and screwed.

Underframe: 19mm V313 moisture resistant melamine faced 730kg/m³ density chipboard, mounted on 38 x 75 mm WROT softwood frame .

Access Underpanels: 19mm moisture resistant melamine faced 730kg/m³ density chipboard lipped all round with 2mm PVC high impact edging. Post formed vertical or vertical edges available upon request.


***Note:** Can be a Wall Lining System with services under vanity see Plain Panels page

Sanitary ware....

Olivet are pleased to offer an extensive range of attractive, contemporary and traditional sanitary and brass ware such as – Laufen, Deca, N&C, Hans Grohe, Villeroy & Boch, Vitra, Kohler, Armitage Shanks to name but a few. We have long standing partnerships with select suppliers and in many cases, we can offer significant discounts.

Alternatives

- Oliveti Bespoke Vanity Unit (adults & childrens) – Full spec & drawing will be provided or entirely specified by client – the following tops are available : Corian, Staron, real stone, re-constituted stone, & glass



3. Vanity Units




2. Solid Surface Vanity Units & Shelves



'SOLID SURFACE' is a generic term for an advanced composition of materials and acrylic polymers. Amongst the most popular products are **Corian**, by **DuPont**, **Staron** by **Samsung**, **Avonite** by **Avonite**, **Hi-Macs** by **LG**, **Solid Surface** by **Formica** that. Solid Surface Delivers a beautifully smooth and stylish finish not dissimilar to stone such as bassalt or granite. It is both durable and flexible, adding elegance to any washroom.

It can be machined and thermoformed to create virtually any shape, making it really versatile and ensuring that upstands and downstands are created seamlessly. As standard, the front edge has a pencil profile.

Washbasins can be manufactured as an integral part of the vanity unit. Alternatively porcelain, glass or even stainless steel basins can be incorporated.



3. Vanity Units

3. Standard Postformed HPL top Vanity Unit Specifications

K2 PROFILE - FOR SEMI-RECESSED BASINS

VANITY TOP PROFILE	CORE MATERIAL	FRONT DOWN-STAND	REAR UPSTAND	BED WIDTH	HEIGHT FFL TO TOP	REF
HPL - POSTFORMED WITH UPSTAND & DOWNSTAND	MOISTURE RESISTANT MDF FACED WITH HIGH PRESSURE LAMINATE - POSTFORMED LEADING EDGE & UPSTAND TO REAR	300mm	75mm	350mm	800mm	OLIVANK2-800
ADULT						
JUNIOR		300mm	75mm	350mm	700mm	OLIVANK2-700
INFANT		300mm	75mm	350mm	600mm	OLIVANK2-600

K4 PROFILE - FOR INSET BASINS

VANITY TOP PROFILE	CORE MATERIAL	FRONT DOWN-STAND	REAR UPSTAND	BED WIDTH	HEIGHT FFL TO TOP	REF
HPL - POSTFORMED WITH UPSTAND & DOWNSTAND	MOISTURE RESISTANT MDF FACED WITH HIGH PRESSURE LAMINATE - POSTFORMED LEADING EDGE & UPSTAND TO REAR	100mm	75mm	600mm	800mm	OLIVANK4-800
ADULT						
JUNIOR		100mm	75mm	600mm	700mm	OLIVANK4-700
INFANT		100mm	75mm	600mm	600mm	OLIVANK4-600

IMPORTANT

LENGTH - PLEASE SPECIFY OVERALL LENGTH REQUIRED. Vanity units available in various lengths to suit any number of wash hand basins. Generally we allow a minimum distance of at least 150mm between wash hand basins, however 200 to 250mm is preferred.

Solid Surface (Corian), Glass and solid wood vanity units - For our bespoke range of vanity units, please contact our Sale Team and we will be pleased to discuss your requirements and assist with design and specification. We will be pleased to provide drawings, images and full specification details with our quotation

4. Gem Lockers




Olivet Cubicles' have a considerable range of lockers ideal for use in all changing room environments. Our lockers come with a huge range of features & extras to choose from. For full details of our range of lockers, please contact our Sales Team who will be pleased to assist with your selection.



Materials or combination of materials

- Powder Coated Galvanised Steel body & doors
- Powder Coated Steel body with CGL or HPL or MFC plain colour or woodgrain finish doors and optional body cladding
- MFC or HPL body & doors
- Aluminium body with CGL or HPL or MFC plain colour or woodgrain finish doors and body cladding
- Solid timber body & doors - Oak, Steamed Beech, Ash or sapele
- Compact Grade Laminate (CGL) body & doors




4. Gem Lockers



Features:

- * **Anti-finger trap** : Lockers for schools & children have doors & hinges that are configured to avoid trapping fingers.
- * Gem lockers are available with **key cam locks, hasp & staple, coin return, combination locks or electronic transponder locks**
- * various height and width combinations
- * Various configurations - 1, 2, 3 or 4 doors
- * Matching end and infill panels are provided according to site requirements.
- * Base, top and shelf units from the same material with 2mm PVC edge banding to front edges.
- * Full width hanging rails are provided in all compartments of 900mm or more high, captive coat hangers are available as an option
- * Shoe shelves can also be provided.



Doors:


- 19mm solid hardwoods.
- 19mm V313 MR MFC (moisture resistant Melamine Faced Chipboard)
- 17mm V313 MR Chipboard faced with 0.9mm high-pressure laminate (HPL).
- 19mm MDF faced with real wood veneers.
- 10mm or 13mm Compact Board (Trespa Athlon / Ployrey). All edges radiused and polished Matching end and infill panels are provided according to site requirements.

Complimenting Additional Fixtures & Fittings



- Fixtures and Fittings to complete the fit out.
- Well lockers with bench seating
- Golf storage lockers
- Valuables and holdall lockers
- Vanity units and shelves
- WC & Changing cubicles
- Garment hanging rails
- Towel drops and storage bins
- Mirrors and notice boards
- Lighting pelmets
- Capping rails
- Plinths
- Bench seating

4. Lockers

2. Configurations



Locker Plinth Options




3. Locker dimensions

WIDTH : Standard locker width (side to side) = 300mm

DEPTH : Standard locker depth (front to back)= 400mm

HEIGHT : As illustrated below by age group

PLEASE NOTE : STEEL BODY LOCKERS ARE ONLY AVAILABLE IN ADULT HEIGHT & INFANT/JUNIOR HEIGHT OF 1370mm



4. Lockers

3. Gem Locker Specification



When ordering or specifying Gem Lockers please state - **INFANT, JUNIOR OR ADULT**.

All lockers are available in colours & finishes from the **Oliveti Colour Collection**.

RANGE	CORE MATERIAL	REFERENCE
GEM STEEL LOCKER	STEEL BODY & DOORS	GEMLOK001
GEM STEEL LOCKER	STEEL BODY & 10mm CGL DOORS	GEMLOK002
GEM STEEL LOCKER	STEEL BODY & 10mm HPL DOORS	GEMLOK003
GEM STEEL LOCKER	STEEL BODY & 10mm MFC DOORS	GEMLOK004
All COMPACT GRADE LAMINATE exposed edges are radiused & polished		


PLEASE NOTE : STEEL BODY LOCKERS ARE ONLY AVAILABLE IN ADULT HEIGHT & AN INFANT/JUNIOR HEIGHT OF 1370mm

GEM HPL LOCKER	20mm HIGH PRESSURE LAMINATE (HPL) BODY & DOORS- ALL EXPOSED EDGES LIPPED	GEMLOK005
GEM MFC LOCKER	18mm MELAMINE FACED CHIPBOARD (MFC) BODY & DOORS - ALL EXPOSED EDGES LIPPED	GEMLOK006
GEM CGL LOCKER	13mm COMPACT GRADE LAMINATE (CGL) BODY & DOORS - ALL EXPOSED EDGES RADIUSSED & POLISHED	GEMLOK007
GEM LOCKER ALUMINIUM CARCASS WITH CGL DOORS & BODY CLADDING	FORMED ALUMINIUM CARCASS WITH 13mm COMPACT GRADE LAMINATE (CGL) BODY & DOORS- ALL EXPOSED EDGES RADIUSSED & POLISHED (SEE ILLUSTRATION BELOW) SUITABLE FOR WET AREAS SUCH AS SWIMMING POOLS	GEMLOK008

GEM WOODEN LOCKER - OAK	17mm MDF FACED WITH LACQUERED & SEALED REAL WOOD VENEERS	GEMLOK009
GEM WOODEN LOCKER - STEAMED BEECH	17mm MDF FACED WITH LACQUERED & SEALED REAL WOOD VENEERS	GEMLOK010
GEM WOODEN LOCKER - ASH	17mm MDF FACED WITH LACQUERED & SEALED REAL WOOD VENEERS	GEMLOK011
GEM WOODEN LOCKER - SAPELE	17mm MDF FACED WITH LACQUERED & SEALED REAL WOOD VENEERS	GEMLOK012

GEM Locker with aluminium carcass & CGL doors & end panel cladding
REF :GEMLOK008.

Shown here with optional integrated GEM Bench seating



Oliveti Compact Grade Lamine Gem Lockers

5. Bench Seating

1. Gem Bench Seating



The Gem bench seating range offers the finishing touch to any changing or welfare facility. Its straight line design incorporates quality fixtures, fixings and finishes to give a stunning overall appearance.

The extreme strength and rigidity of the range ensures that the demands of high usage areas are surpassed without compromising style or aesthetics.

Over the following pages you will find details of our standard bench seating options. Very often we find that our clients require a bespoke bench solution i.e. Size - length - width - height , finish, match to existing, curved benches etc. If you have a 'bespoke' bench seating requirement please call our sales/Technical team and we will be pleased to assist you.

Oliveti Gem Bench Seating complies with the latest DDA recommendations and Sport England guidelines. Our products are fully supported by technical documents which incorporate full detail of specification, sizes and available accessories

Bench Frames

The framed structure is manufactured with a robust 40mm x 25mm mild steel box section which is predominantly "off-site" welded to aid speed of assembly. Conversely "on-site" assembly is reduced to a minimum, cutting costs considerably.

All frames are fitted with adjustable feet and floor fixing brackets as standard to accommodate uneven floors and to ensure structural stability at all times. The capping of open frame ends prevents the ingress of moisture, adds finesse and removes sharp contact areas. Optional coat rails and hooks can be supplied for increased in-service performance.

Rustproof threaded inserts, stainless steel bolts and nickel brass fixings are incorporated to ensure corrosion free joints, thus eliminating those all too common "rust" marks during the systems life span.

Frames are available in any RAL colour

Options

- Bench seating frames are available in a **chrome** finish if required
- Anti Bacterial protection can be achieved by applying anti bacterial powder coating to the mild steel framework.
- Frame colours are applied in accordance with ISO9001 standards, which guarantees a consistent and hardwearing first class product finish.
- Plascoat PPA 571 is one of the most durable and versatile coatings available for extreme installations such as swimming pools.

5. Bench Seating

Seat Slats, Coat Hook Rails, and Shelf Slats



Solid Ash or Beech Timber

Seats: manufactured from 100mm x 25mm lacquered ash or beech slats, with pencil round to all edges, sealed and polished.

Shoe Tray: manufactured from 70mm x 25mm ash or beech slats, with pencil round to all edges, sealed and polished.

Coat Hook Rail: manufactured from 135mm x 25mm ash or beech, with radiused edges, sealed and polished.

Compact Grade Laminate (CGL) – COLOURS: see Oliveti Colour Collection

Seats: manufactured from 200mm x 13mm slats, with round polished edges.

Shoe Tray: manufactured from 180mm x 13mm slats with round polished edges.



Beech



Compact Board



STANDARD HOOKS - SLAT OR WALL MOUNTED


Multi coloured **Nylon** (red, blue, green, yellow) shown left

Satin Anodised Aluminium or Powder Coated coat hooks (right)

Hooks are normally spaced at 190mm centres (different spacing can be specified)




2. Gem Bench Seating - Configurations



5. Bench Seating

3. Gem Bench Seating - Standard Dimensions



4. Gem Bench Seating - Standard Colours

A fully colour co-ordinated finish can be achieved by combining polyester powder coated finishes to the metal framing. Our standard colours are shown below, however any RAL colour is available on request but may be subject to a minimum order paint charge. Slats are available in an array of coloured compact grade laminates - see the Oliveti Colour Collection. For a more traditional look hardwood slats are available in beech or Ash

LIGHT GREY RAL 7001	BROWN RAL8019	BLACK RAL9005	BEIGE RAL1015	BLUE RAL5010
DARK GREEN RAL6005	RED RAL3020	WHITE RAL9016	YELLOW RAL1021	DARK GREY RAL7016

5. Bench Seating

5. Gem Bench Seating Specification

RANGE	DESCRIPTION	SEAT HEIGHT - WIDTH	OVERALL WIDTH	COAT HOOK RAIL HEIGHT	REFERENCE
INFANT ASH or BEECH SLATS	SINGLE BENCH	300 -300	320	1245	ITIMBNCH001
	WALL MOUNT A	300 -300	320	1245	ITIMBNCH002
	WALL MOUNT B	300 -300	320	1245	ITIMBNCH003
	CANTILEVER A	300 -300	320	1245	ITIMBNCH004
	CANTILEVER B	300 -300	320	1245	ITIMBNCH005
	SINGLE ISLAND	300 -300	360	1245	ITIMBNCH006
	DOUBLE ISLAND	300 -300	680	1245	ITIMBNCH007
	LOCKER BENCH	300 -300	720	1245	ITIMBNCH008
PLEASE STATE LENGTH, COLOUR REQUIRED AND IF TOP SHELF OR SHOE RACK ARE REQUIRED					

RANGE	DESCRIPTION	SEAT HEIGHT - WIDTH	OVERALL WIDTH	COAT HOOK RAIL HEIGHT	REFERENCE
INFANT COMPACT GRADE LAMINATE SLATS	SINGLE BENCH	300 -300	320	1245	ICGLBNCH001
	WALL MOUNT A	300 -300	320	1245	ICGLBNCH002
	WALL MOUNT B	300 -300	320	1245	ICGLBNCH003
	CANTILEVER A	300 -300	320	1245	ICGLBNCH004
	CANTILEVER B	300 -300	320	1245	ICGLBNCH005
	SINGLE ISLAND	300 -300	360	1245	ICGLBNCH006
	DOUBLE ISLAND	300 -300	680	1245	ICGLBNCH007
	LOCKER BENCH	300 -300	720	1245	ICGLBNCH008
PLEASE STATE LENGTH, COLOUR REQUIRED AND IF TOP SHELF OR SHOE RACK ARE REQUIRED					

RANGE	DESCRIPTION	SEAT HEIGHT - WIDTH	OVERALL WIDTH	COAT HOOK RAIL HEIGHT	REFERENCE
JUNIOR ASH or BEECH SLATS	SINGLE BENCH	380 -380	320	1375	JTIMBNCH001
	WALL MOUNT A	380 -380	320	1375	JTIMBNCH002
	WALL MOUNT B	380 -380	320	1375	JTIMBNCH003
	CANTILEVER A	380 -380	320	1375	JTIMBNCH004
	CANTILEVER B	380 -380	320	1375	JTIMBNCH005
	SINGLE ISLAND	380 -380	360	1375	JTIMBNCH006
	DOUBLE ISLAND	380 -380	680	1375	JTIMBNCH007
	LOCKER BENCH	380 -380	720	1375	JTIMBNCH008
PLEASE STATE LENGTH, COLOUR REQUIRED AND IF TOP SHELF OR SHOE RACK ARE REQUIRED					

RANGE	DESCRIPTION	SEAT HEIGHT - WIDTH	OVERALL WIDTH	COAT HOOK RAIL HEIGHT	REFERENCE
JUNIOR COMPACT GRADE LAMINATE SLATS	SINGLE BENCH	380 -380	400	1375	JCGLBNCH001
	WALL MOUNT A	380 -380	400	1375	JCGLBNCH002
	WALL MOUNT B	380 -380	400	1375	JCGLBNCH003
	CANTILEVER A	380 -380	400	1375	JCGLBNCH004
	CANTILEVER B	380 -380	400	1375	JCGLBNCH005
	SINGLE ISLAND	380 -380	440	1375	JCGLBNCH006
	DOUBLE ISLAND	380 -380	840	1375	JCGLBNCH007
	LOCKER BENCH	380 -380	800	1375	JCGLBNCH008
PLEASE STATE LENGTH, COLOUR REQUIRED AND IF TOP SHELF OR SHOE RACK ARE REQUIRED					

5. Bench Seating

5. Gem Bench Seating Specification

RANGE	DESCRIPTION	SEAT HEIGHT - WIDTH	OVERALL WIDTH	COAT HOOK RAIL HEIGHT	REFERENCE
ADULT ASH or BEECH SLATS	SINGLE BENCH	450 -380	320	1680	ATIMBNCH001
	WALL MOUNT A	450 -380	320	1680	ATIMBNCH002
	WALL MOUNT B	450 -380	320	1680	ATIMBNCH003
	CANTILEVER A	450 -380	320	1680	ATIMBNCH004
	CANTILEVER B	450 -380	320	1680	ATIMBNCH005
	SINGLE ISLAND	450 -380	360	1680	ATIMBNCH006
	DOUBLE ISLAND	450 -380	680	1680	ATIMBNCH007
	LOCKER BENCH	450 -380	720	1680	ATIMBNCH008

PLEASE STATE LENGTH, COLOUR REQUIRED AND IF TOP SHELF OR SHOE RACK ARE REQUIRED

RANGE	DESCRIPTION	SEAT HEIGHT - WIDTH	OVERALL WIDTH	COAT HOOK RAIL HEIGHT	REFERENCE
ADULT COMPACT GRADE LAMINATE SLATS	SINGLE BENCH	450 -380	400	1680	ACGLBNCH001
	WALL MOUNT A	450 -380	400	1680	ACGLBNCH002
	WALL MOUNT B	450 -380	400	1680	ACGLBNCH003
	CANTILEVER A	450 -380	400	1680	ACGLBNCH004
	CANTILEVER B	450 -380	400	1680	ACGLBNCH005
	SINGLE ISLAND	450 -380	440	1680	ACGLBNCH006
	DOUBLE ISLAND	450 -380	840	1680	ACGLBNCH007
	LOCKER BENCH	450 -380	800	1680	ACGLBNCH008

PLEASE STATE LENGTH, COLOUR REQUIRED AND IF TOP SHELF OR SHOE RACK ARE REQUIRED



6. Oliveti Standard Storage Units

Amongst the washroom solutions, bench seating and lockers etc; Oliveti Cubicles also supply a substantial range of Furniture, Fittings and Equipment (FF&E) - for wide variety of end uses but particularly for Nursery Schools, Primary Schools, Secondary Schools through to Colleges, Universities and Research Laboratories.



From cupboard shelves to furniture for an entire school, whatever you're looking for Oliveti have everything to make it happen.

Oliveti have long standing partnerships with many suppliers and we are able to offer a comprehensive and economic Furniture, Fittings and Equipment solution.

Over the following pages you will see diagrams of our standard range of attractive and robust storage products, which satisfy the needs of majority of our clients. If, however, you have a specific, non-standard requirement - i.e. an odd sized alcove or niche etc. We can help you. Many of our items are made to order on a bespoke basis in our Leicester manufacturing facility and we would be pleased to provide design assistance and a quotation













6. Storage Cupboards











1. Basic Units

700 High Carcase to suit 850/900mm high bench







	1006 Wide	596 Wide	514 Wide	352 Wide
580 Deep Carcase	 OLI700A		 OLI700B	
465 Deep Carcase	 OLI700C	 OLI700D	 OLI700E	 OLI700F
300 Deep Carcase	 OLI700G	 OLI700H	 OLI700I	 OLI700J

575 High Carcase to suit 725/775mm high bench

	1006 Wide	596 Wide	514 Wide	352 Wide
580 Deep Carcase	 OLI575A		 OLI575B	
465 Deep Carcase	 OLI575C	 OLI575D	 OLI575E	 OLI575F
300 Deep Carcase	 OLI575G	 OLI575H	 OLI575I	 OLI575J








450 High Carcase to suit 600/650mm high bench

	1006 Wide	596 Wide	514 Wide	352 Wide
465 Deep Carcase	 OLI575C	 OLI575D	 OLI575E	 OLI575F








6. Storage Cupboards

2. Open Shelf Units




700 High Carcase to suit 850/900mm high bench

	1006 Wide	596 Wide	514 Wide
580 Deep Carcase			
	OLIOSU700A		
465 Deep Carcase			
	OLIOSU700C	OLIOSU700D	OLIOSU700E
300 Deep Carcase			
	OLIOSU700G	OLIOSU700H	OLIOSU700I

575 High Carcase to suit 725/775mm high bench

	1006 Wide	596 Wide	514 Wide
580 Deep Carcase			
	OLIOSU575A		OLI575B
465 Deep Carcase			
	OLIOSU575C	OLIOSU575D	OLIOSU575E
300 Deep Carcase			
	OLIOSU575G	OLIOSU575H	OLIOSU575I







450 High Carcase to suit 600/650mm high bench

	1006 Wide	596 Wide	514 Wide
465 Deep Carcase			
	OLIOSU575C	OLIOSU575D	OLIOSU575E







6. Storage Cupboards

3. Drawer Units

700 High Carcase to suit 850/900mm high bench

	1006 Wide	596 Wide	514 Wide	352 Wide
580 Deep Carcase	 OLIDRW700A		 OLIDRW700B	
465 Deep Carcase	 OLIDRW700C	 OLIDRW700D	 OLIDRW700E	 OLIDRW700F

575 High Carcase to suit 725/775mm high bench

	1006 Wide	596 Wide	514 Wide	352 Wide
580 Deep Carcase	 OLIDRW575A		 OLIDRW575B	
465 Deep Carcase	 OLIDRW575C	 OLIDRW575D	 OLIDRW575E	 OLIDRW575F

450 High Carcase to suit 600/650mm high bench


	1006 Wide	596 Wide	514 Wide	352 Wide
465 Deep Carcase	 OLIDRW450A	 OLIDRW450B	 OLIDRW450C	 OLIDRW450D

6. Storage Cupboards

4. Tall Units


1725 HIGH & 580 DEEP Carcase 75mm Plinth fitted as standard

1006 Wide



OLITALL580A

514 Wide



OLITALL580B

1725 HIGH & 465 DEEP Carcase 75mm Plinth fitted as standard

1006 Wide




OLITALL465A

596 Wide



OLITALL465B

514 Wide



OLITALL465C

5. Options

Oliveti Cubicles storage units are designed to be suitable for use in fixed benching, stand alone, or mobile situations. Your requirements dictate the way that Oliveti Cubicles units are ordered.

Oliveti Cubicles storage units are supplied in four carcase heights, **450, 575, 700 and 1725mm**. Care should be taken to specify the correct carcase for the required bench height. After you decide on the desired bench height;

Carcase Height Bench Height Plinth

Nursery 450 600/650 75/125

Primary/Middle 575 725/775 75/125

Secondary/Adult 700 850/900 75/125

725mm bench height is also secondary/adult seated height. You then decide the type of installation to suit your layout. Freestanding units should be specified with either a plinth or castors. Underbench units will require either a plinth or adjustable feet. Adjustable feet adjust from 60-90mm or 110-140mm to allow for uneven floors

Adjustable Feet – Standard Option

For bench runs with a number of adjacent storage units, adjustable feet are used with a continuous plinth rail fitted as standard. Infill panels can complete the assembly at walls, corners or between units. This example shows a wide drawer cupboard under a 900mm high bench. This unit would be specified as a U5318 (the standard unit).

Plinths

For bench runs where spaces are required between storage units, fixed plinths may be specified with optional infill panels as shown. This example shows a single, lefthand hinged cupboard – with plinth – under a 725mm high bench. This unit would be specified as a OLI575E/P75 (the P75 suffix denoting a 75mm high plinth). Plinths are 75mm or 125mm (P125 suffix).

Mobile Storage

Where mobile units are required, 50, or 75mm high braked castors can be fitted to the units. If desired, infill panels can be fitted in front of leg supports creating a service void behind. (Apply 'C' suffix to the reference denoting castors).

Oliveti Cubicles, 2a Peatling Road, Countesthorpe, Leicester LE8 5RD

Tel: 0116 277 7771 ~ Fax: 0116 277 7776 ~ Web: www.oliveticubicles.co.uk ~ Email: info@oliveticubicles.co.uk

A division of Oliveti Construction. Company Reg. Number 7341 581. VAT reg. 6697200-07

6. Storage Cupboards

6. Specifications

Oliveti Cubicles storage units are designed to be suitable for use in fixed benching, stand alone, or mobile situations. Your requirements dictate the way that Oliveti Cubicles units are ordered.



Oliveti Cubicles - Storage Unit Specifications

Carcase - panels are constructed of high performance melamine faced particleboard (MFC). This material has passed BS6250 Part 3, Laminate Performance. Tops & Bottoms are of 25mm, ends are of 18mm with divisions 15mm and backs 8mm to match. All carcass panels are lipped in high impact resistance 1mm PVC edging to match carcass colour. All fronts are edged in 3mm PVC with rounded edges. Units are doweled, glued and cramped and are available in a choice of colours

Backs - made from a matching 8mm MFC board. Backs are removable in all cupboard and undersink units. In all other unit types they are securely fixed in position.

Plinths - underbench units are supported on four heavy duty adjustable feet. Each unit is supplied with 75mm feet adjustable from 60 - 90mm and 125mm feet adjustable from 110 - 145mm. Plinth rails are supplied in continuous lengths of 15mm dark grey (BS 00A13) melamine faced MR board. Sealing strips are provided for wet areas.

Castors - available as an option to all non-serviced units are two-wheel hooded castors, in metal die-cast units with a load bearing capacity of 56kg each. Castor Height 75mm overall. Castors on semi-mobile units have a load bearing capacity of 60kg each.

Drawers - sides of epoxy powder coated mild steel in cream, RAL 9001. Bottom and back are of 15mm melamine faced chipboard, lipped on exposed edges with 1mm PVC. Drawers are mounted on soft roller runners. Normal drawer side depth is 71mm with bottom drawers having 135mm side depth internally. Fronts are 123 and 169mm respectively. Drawers can be fitted with Blum pull out stops as an option. Please ask for details.

Shelves - underbench cupboard units are fitted with an adjustable shelf. Manufactured from 18mm MFC board lipped in 1mm PVC to front edge these are supplied to match carcass finish. (Bookcase shelves are 25mm). Shelves are supported on transparent shelf clips with 5mm steel pins.

Hinges - Hetal MB20 contract quality semi-concealed chrome plated hinges. Hinges are adjustable to 230o Hinges are fitted using Euroscrews to ensure strength of fixing and durability. Hinges have integral catches. Doors are tested to exceed 45kg loading to top corner.

Handles - solid plastic 'D' pull 15mm diameter. Finger space 80 x 24mm, available in a choice of colours. Alternative handles are available to customer preference.

Drawer Fronts and Doors - made from 18mm MFC lipped all round in 3mm PVC to match carcass. Fronts are available in a choice of colours, but, unless alternative specified, fronts (including edges) are supplied to match carcass colours. Laminate faced MDF fronts are also available as an option, these are available maple / beech edged, or 3mm PVC edged.

Locks - are available on request. Locks are fitted, as standard, to all tall cupboard and wardrobe units. When required, locks are fitted to top drawer only on drawer units and both door and drawer on Drawer / Cupboard units. To request locks add Suffix L to order.


Glass - all glass used in our ranges for fronts is 4.5mm toughened safety glass.

7 . Colours & Finishes

15. Oliveti Standard Colour Range

The colours below have been especially compiled with schools and children in mind. We have carefully selected in consultation with schools, Nurseries, Architects and specifiers across the UK. This represents our standard range of readily available stock panel and laminate colours for cubicles, vanity units, IPS Duct Panel Systems and storage units. **If you do not see a suitable colour or woodgrain for your project below, please contact our sales team and we will do our best to match and source the colour of your choice , in the materials of your choice from suppliers such as Polyrey, Egger, Fundermax and Sonae**

Plain Colours



Premium White



Alabaster




Pale Yellow




Yellow



Orange



China Red




Ice Blue




Marine Blue




Mint



Green



Grey




Black

Woodgrains



Ellmau Beech



Loire Ash

The colours reproduced in this brochure may differ slightly from the actual panel colours. This is due to the limitations of the printing process.

If required, please contact our Sales Team for an original sample

Oliveti Cubicles

2a Peatling Road, Countesthorpe Leicestershire UK LE8 5RD

Tel: 0044 (0)116 277 7771 - Fax: 0044 (0)116 277 7776

QUALITY • VALUE • RELIABILITY